

CHEMICAL RESISTANCE TEST DATA

AG CHEMICAL	ELASTOMER					
	EPDM (Com)	EPDM (FDA)	EPDM (Fab)	SANTO	VITON	BUNA
Diazinon	C	C	C	B	A	C
Chickweed Killer	A	A	A	A	A	A
Triox Veg Killer	C	C	C	C	B	C
Round-Up Conc	A	A	A	A	A	A
Sevin	A	A	A	A	A	B
Malathion	A	C	B	A	B	C
Spectracide	A	A	A	A	A	A
Ortho Weed-B-Gon	A	A	A	A	A	A
Ortho Weed & Grass Killer	A	A	A	A	A	A
Home Orchard Spray	A	A	A	A	A	B
Lasso MT	A	A	A	A	A	A
Round-Up Super Conc. Grass & Weed Killer	A	A	A	A	A	A
Wipe-Out Weed Killer	A	A	A	A	A	A
Lasso EC	A	B	A	A	B	C
Ortho Malathion 50 P	A	C	B	A	B	C
Super K-Gro (Dursban)	C	C	C	C	A	C
Ortho Liquid Sevin	A	A	A	A	A	A
2,4-D Amine 4	A	A	A	A	A	A
Dursban 4E	C	C	B	B	A	C
Dursban 2E	C	C	B	C	A	C
Dow Elanco 2,4,D Bee	C	B	A	B	A	C
Lorsban 4E	B	C	B	B	A	C
Dursban 50W	A	A	A	A	A	A

CARRIER

Acetone	A	A	A	A	C	C
Xylene	C	C	C	C	B	C
Kerosene	C	C	C	C	A	B

A - No Significant Effect

B - Moderate Effect, Generally Satisfactory

C - Major Effect, Not Satisfactory